

SUPERIOR GARDEN EQUIPMENT







Lawn Star is excited to announce that it has been appointed as the sole and exclusive partner to distribute the Einhell brand of products throughout RSA, Namibia, Botswana, Zimbabwe, Lesotho & Eswatini.

www.lawnstar.co.za

Einhell Germany supplies and distributes an extensive range of garden machinery, power tools, pumps, stationary tools and automotive accessories. These product ranges are covered by an innovative and market-leading battery platform.

Einhell is a World Leading Brand distributed by partner companies in over 80 countries.

www.einhell.com





ONE SMART BATTERY - 1000+ POSSIBILITIES

POWERFUL CORDLESS FREEDOM EINHELL'S POWER X-CHANGE BATTERY TECHNOLOGY

- LONG LIFE
- HIGH POWER
- QUICK CHARGE
- SAFE
- GERMAN ENGINEERED
- FITS ALL EINHELL BATTERY TOOLS









POWER X-CHANGE LI-ION BATTERY PACK & CHARGER MODEL 18 V 4.0Ah PXC STARTER KIT

- 4.0 Ah 18 Volt Power X-Change Li-lon battery pack (Lithium-lon)
- Processor controlled battery management system for long-life and higher power
- High-quality Li-lon cells means no memory effect
- 3-Stage LED battery monitor
- High impact dust resistant battery housing
- High Speed intelligent quick charger
- 6-Stage LED status indicator

Stock code: Stock code: Z-4512042 Bar code: 4006825613704



BATTERY MULCH & CATCH MOWER



LionMo - MODEL LSM 3648 MA

- Powerful 36 Volt brushless motor
- 2 x 4.0 Ah batteries and 2 x battery chargers included
- 2+2 Dual battery pack technology
- Mow up to 500 + 500 sqm with 2+2 batteries fitted
- High-performance, long-life, brushless motor
- 48 cm durable 1.6 mm thick pressed steel deck
- 2-IN-1 Catcher/Mulcher options:
- 1. Low energy bar blade & large 55 litre grass collection box 2. Mulching blade & plug to convert to grass re-cycling function
- 46 cm cutting width
- Large 180 mm diameter double ball bearing front & rear wheels
- Comfort-grip folding handles
- Safety blade brake
- Lock-Off safety switch with key
- · Central height adjustment (10-positions, 10 65 mm)

Stock code: 30-36480 Bar code: 6009648252981





MODEL GE-CT 36/30 Li E-Solo

- Powerful 36 Volt motor
- 30 cm cutting diameter
- Single 2.0 mm diameter cutting line
- Automatic tap-to-feed cutting head for trouble-free line-feed
- Easy-to-change cutting line spool
- Ergonomically designed for perfect balance
- · User-friendly adjustable handle system for effortless trimming and edging
- Fold out flowerguard

Stock code: Z-3411300

Bar code: 4006825629187

· Wide-vision, impact-resistant safety guard





18 V BATTERY HEDGE TR





18 V BATTERY CHAINSAW



MODEL GE-CH 1846 Li-Solo

- Powerful 18 Volt motor
- Metal gearing for long life
- 52 cm laser cut, diamond ground, double action cutting bar

MODEL GE-CL 36 Li E-Solo

Two way selector for vacuuming or blowing

 Powerful 36 Volt brushless motor Fully adjustable speed controlled motor

 Mulcher function through fan Mulching ratio of 10:1

• 210 km / hr blowing speed

Roll-along wheels

Stock code: Z-3433600

Bar code: 4006825613391

Shoulder strap

• Large 45 litre collection bag

- 2200 cuts per minute
- 15 mm cutting width
- · Two-hand safety switch

Stock code: Z-3410642 Bar code: 4006825615937



MODEL GE-LC 18 Li T-Solo

- Powerful 18 Volt brushless motor
- High quality, OREGON, 20 cm bar and chain
- Automatic pump-feed chain lubrication 90 degree swivel head for horizontal cuts
- Telescopic aluminium tube with 4.0 metre reach
- Metal gearing for long life Adjustable assist handle with quick fastener



Stock code: Z-3410810 Bar code: 4006825604337

MODEL GE-LC 18 Li-Solo

- Super powerful 18 Volt motor
- High quality, OREGON, 25 cm bar and chain
- Automatic pump-feed chain lubrication
- Toolless chain tensioning system
- · Safety lock-off switch
- Mechanical "Kick-Back" Safety chain brake
- Large ergonomic handle grips



Stock code: Stock code: Z-4501761 Bar code: 4006825608342

ELECTRIC TRIMMERS & EDGERS

LS 500 TRIMMER ELECTRIC

ELECTRIC



ELECTRIC

















LS 1200 SE STICK-EDGER

ELECTRIC



MODEL LS 500

Powerful 500 Watt ball bearing motor

- 30 cm cutting diameter
- · Double 1.6 mm cutting line diameter
- Automatic tap-to-feed cutting head for trouble-free line-feed
- Easy-to-change cutting line spool
- Pistol-grip handle with adjustable assist handle for effortless trimming and edging
- · Wide-vision, impact-resistant safety guard

MODEL LS 700

• Powerful 700 Watt ball bearing motor

- 33 cm cutting diameter
- Double 1.6 mm cutting line diameter
- Automatic tap-to-feed cutting head for trouble-free line-feed
- Easy-to-change cutting line spool
- User-friendly flip-over handle system with unique double-adjustable assist handles for effortless trimming and edging
- Roll-along edging wheel for accurate and easy edging
- Wide-vision, impact-resistant safety guard

MODEL LS 900

• Super powerful 900 Watt ball bearing motor

- 36 cm cutting diameter
- Double 2.0 mm cutting line diameter
- Automatic tap-to-feed cutting head for trouble-free line-feed
- Easy-to-change cutting line spool
- User-friendly flip-over handle system with unique double-adjustable assist handles for effortless trimming and edging
- · Roll-along edging wheel for accurate and easy edging
- · Wide-vision, impact-resistant safety guard

MODEL LS 1000 E

The world's most powerful trimmer in its

Thermal overload protected motor

Easy-to-change cutting line spool

handles for effortless trimming

User-friendly flip-over handle system

with unique double-adjustable assist

Roll-along edging wheel for accurate

Wide-vision, impact resistant safety

Double 2.0 mm cutting line diameter

Automatic tap-to-feed cutting head for

36 cm cutting diameter

trouble-free line-feed

and edging

guard

and easy edging

class with a 1000 Watt ball bearing motor

MODEL LS 1

• The world's most powerful trimmer/ edger/mower in its class with a 1000 Watt ball bearing motor

- · Thermal overload protected motor
- · 36 cm cutting diameter
- Double 2.0 mm cutting line diameter
- · Automatic tap-to-feed cutting head for trouble-free line-feed
- Easy-to-change cutting line spool A and tri-bladed mowing disc B
- Large 5 cm glide rollers
- User-friendly flip-over handle system with unique double-adjustable assist handles for effortless trimming and edging
- Roll-along edging wheel for accurate and easy edging
- · Wide-vision, impact resistant safety quard

Stock code: 10-10901 Bar code: 6009648250185



MODEL LS 1200 TT

• Super powerful 1000 Watt ball bearing motor

- Overload protected motor
- Unique turbo switch for extra 50% power
- · 36 cm cutting diameter
- Double 2.0 mm cutting line diameter
- · Double ball bearing cutting head drive system for long life · Automatic tap-to-feed cutting head
- for trouble-free line-feed • Easy-to-change cutting line spool
- Motor fitted at rear with extra long curved shaft for perfect balance
- 360° comfort-grip anti-vibration assist handle
- Roll-along edging wheel for accurate and easy edging
- · Wide-vision, impact-resistant safety guard


Stock code: 10-12003 Bar code: 6009648250109




• Super powerful 1000 Watt ball bearing motor

- · Overload protected motor
- 23 cm edging diameter
- Durable spring-steel edging blade
- Motor fitted at rear for perfect balance
- · Heavy-duty gear for long life
- Comfort-grip, adjustable assist handle
- Large guide wheel for accurate and easy edging
- Adjustable edging depth
- · Wide-vision, impact-resistant safety guard









Stock code: 10-70000 Bar code: 6009648250130

Stock code: 10-90000 Bar code: 6009648250123



Stock code: 10-10001 Bar code: 6009648250161



LSB 5243 PETROL BRUSH CUTTER

PETROL TRIMMERS & BRUSH CUTTERS

APPLIES TO ALL PRO-SERIES

TRIMMERS & BRUSH CUTTERS



Two piston rings for long life



Forged steel con-rod & crankshaft



Big & small-end needle bearings



Crankshaft supported by two ball bearings

LS 2617 CS PETROL TRIMMER

PETROL





MODEL LS 2617 CS

- Powerful, Semi-Commercial 26cc, 0.7 KW, 2-stroke, easy-start, petrol engine
- 520 ml fuel tank with protector
- Soft-start pull-start mechanism
- Auto centrifugal safety clutch
- Full crank with double ball bearings and two piston rings for extended engine life
- 44 cm max cutting diameter
- · Double 2.4 mm cutting line diameter
- Automatic tap-to-feed cutting head for trouble-free line-feed
- Easy-to-change cutting line spool
- Double ball bearing cutting head drive
- Engine fitted at rear with extra long curved shaft for perfect balance
- 360 degree comfort-grip anti-vibration assist handle
- Operator harness included
- 2-stroke high-performance oil - 200 ml included
- Mixing bottle and tools included
- Spare spark plug included

Stock code: 15-26170 Bar code: 6009648250215





MODEL LS 3317 CS

- Powerful, Commercial 33cc, 0.9 KW, 2-stroke, easy-start, petrol engine
- 900 ml fuel tank with steel protector
- Soft-start pull-start mechanism
- Auto centrifugal safety clutch
- Full crank with double ball bearings and two piston rings for extended engine life
- 44 cm max cutting diameter
- Double 2.4 mm cutting line diameter
- Automatic tap-to-feed cutting head for trouble-free line-feed
- · Easy-to-change cutting line spool
- Double ball bearing cutting head drive system
- Engine fitted at rear with extra long curved shaft for perfect balance
- 360 degree comfort-grip anti-vibration assist handle
- Operator harness included
- 2-stroke high-performance oil- 200 ml included
- · Mixing bottle and tools included Spare spark plug included

Stock code: 15-33170 Bar code: 6009648250222



MODEL LSB 3320

• Powerful, Semi-Commercial 33cc, 0.9 KW, 2-stroke, easy-start, petrol engine

LSB 3320 PETROL BRUSH CUTTER

PRO-SERIES

- 900 ml fuel tank with steel protector
- · Soft-start pull-start mechanism
- Auto centrifugal safety clutch
- Full crank with double ball bearings and two piston rings for extended life
- 43 cm cutting diameter
- Double 2.4 mm cutting line diameter
 Automatic tap-to-feed cutting head for trouble-free line-feed
- Easy-to-change cutting line spool
- Interchangeable 25 cm 8 tooth brush cutting disc and adjustable guard
- Geared ball bearing cutting head drive system
- Engine fitted at rear with extra long straightshaft for perfect balance 8.0 mm dia splined solid drive shaft for
- extended life
- Bull horn comfort-grip, anti-vibration control handles
- · Operator harness included
- Heavy-duty steel fuel tank protector
- 2-stroke high-performance oil 200 ml included
 Mixing bottle and tools included
- · Spare spark plug included

Stock code: 17-33200 Bar code: 6009648250260

MODEL LSB 4320

• Powerful, Commercial 43cc, 1.25 KW, 2-stroke, easy-start, petrol engine

LSB 4320 PETROL BRUSH CUTTER

PRO-SERIES

PETROL

- Large 1.1 litre fuel tank with steel protector
- Soft-start pull-start mechanism
- Auto centrifugal safety clutch
- Full crank with double ball bearings and two piston rings for extended life
- 43 cm cutting diameter
- Double 2.4 mm cutting line diameter Automatic tap-to-feed cutting head for trouble-free line-feed
- Easy-to-change cutting line spool
- Interchangeable 25 cm 8 tooth brush
- cutting disc and adjustable guard Geared ball bearing cutting head drive system
- · Engine fitted at rear with extra long straightshaft for perfect balance
- 8.0 mm dia splined solid drive shaft for extended life
- Bull horn comfort-grip, anti-vibration control handles
- Professional operator harness included
- 2-stroke high-performance oil 200 ml included
- Mixing bottle and tools included Spare spark plug included

Stock code: 17-43200 Bar code: 6009648250277

MODEL LSB 5243

PRO-SERIES

- Powerful, Commercial 52cc, 1.4 KW, 2-stroke, easy-start, petrol engine

 • Large 1.1 litre fuel tank with steel protector
- Soft-start pull-start mechanism
- Auto centrifugal safety clutch
 Full crank with double ball bearings and two
- piston rings for extended engine life 43 cm cutting diameter
- · Double 2.4 mm cutting line diameter
- Automatic tap-to-feed cutting head for trouble-
- free line-feed · Easy-to-change cutting line spool
- Interchangeable 30 cm steel Tri-Star blade
- and guard Interchangeable fixed-line cutting head with
- 2 x 3.5 mm lines diameter Geared ball bearing cutting head drive system
- Engine fitted at rear with extra long straightshaft for perfect balance
- 8.0 mm dia splined solid drive shaft for extended life • Bull horn comfort-grip, anti-vibration
- control handles Professional operator harness included
- Safety face shield, ear-muffs and gloves included
- 2-stroke high-performance oil 200 ml included
- Mixing bottle and tools included Spare spark plug included

Stock code: 17-52430 Bar code: 6009648250284



LAWNMOWERS

HANDMO LSCM 38-5 CYLINDER MOWER

MINIMO SM 1200 EL CATCHER MOWER

ELECTRIC

CATCHMO LSM 1740 E CATCHER MOWER

ELECTRIC

CATCHMO LSM 4540 L CATCHER MOWER

PETROL

OUADRABLADE LSQ 2048 E CATCHER MOWER

ELECTRIC

QUADRABLADE LSQ 4548 L CATCHER MOWER

PETROL



• Easy to push manual cylinder mower

• Precision ground 5-bladed cylinder

• 38 cm cutting width

• 41 cuts per metre

• Light weight 7,0 kg

· Height adjustable rollers

• Optional grass box available






- Induction motor for long-life
- 32 cm cutting width
- 30 Litre Solid Grass Box
- · Safety blade brake
- · Lock-Off safety switch
- 3 position height adjustable (20 / 35 /50 mm)
- · Light weight 10.0 kg

MODEL LSM 1740 E

- · Induction motor for long-life
- 40cm durable 1.2 mm thick pressed steel deck
- 40 cm Bar Blade
- 150 mm front and rear wheels

- · Turbo safety blade brake
- Lock-Off safety switch
- Central height adjustment (10-positions, 10 60 mm)



MODEL LSM 4540 L

• 140cc - 2.7 KW (3.6 Hp)

· Light weight easy start

steel deck

• 40 cm Bar Blade

collection box

• Lawn Star LS 140, OHV 4-Stroke petrol

• 40 cm durable 1.2 mm thick pressed

150 mm front and rear wheels

Convenient 40 litre grass

Central height adjustment (10-positions, 10 - 60 mm)

4-Stroke oil SAE30 - 500 ml included





4 - BLADED

CUTTING SYSTEM

- Super powerful 2000 Watt overload protected motor
- Induction motor for long-life
- 48 cm durable 1.6 mm thick pressed steel deck
- · Cutting disc with 4 swing blades
- 46 cm cutting width
- Large 180 mm double ball bearing front and
- · Large 55 litre grass collection box
- · Insulated folding handles
- Turbo safety blade brake
- · Lock-Off safety switch
- Central height adjustment (10-positions, 10 65 mm)

Stock code: 30-20480 Bar code: 6009648250895



MODEL LSQ 4548 L

4 - BLADED

CUTTING SYSTEM

- Lawn Star LS 140, OHV 4-Stroke petrol
- 140cc 2.7 KW (3.6 Hp)
- · Light weight easy start
- 48 cm durable 1.6 mm thick pressed steel deck
- Cutting disc with 4 swing blades
- 46 cm cutting width
- Large 180 mm diameter double ball bearing front & rear wheels
- Large 55 litre grass collection box
- Central height adjustment (10-positions, 10 - 65 mm)
- 4-Stroke oil SAE30 500 ml included

Stock code: 30-45481 Bar code: 6009648250956





9

Stock code: 30-12330 Bar code: 6009648250857



- Powerful 1700 Watt overload protected motor

- Convenient 40 litre grass collection box
- Insulated folding handles

Stock code: 30-17400 Bar code: 6009648250840

2-IN-1 MULCH & CATCH MOWERS

APPLIES TO ALL MULCH & CATCH MOWERS

TWICE THE JOB IN HALF THE TIME!

SAVE MONEY, TIME, WATER. FERTILISER & EFFORT!



MULCHING & CATCHING COMBINATION MOWERS

Cut your mowing time in half. Naturally recycles your grass by finely re-cutting the grass clippings and feeding them directly back into your lawn.



1. CATCHING OPTION QUADRABLADE cutting disc with 4 swing blades



2. MULCHING OPTION Unique Mulching kit included



2-IN-1 MULCH & CATCH LSO 2448 ME MOWER

2-IN-1 MULCH & CATCH LSQ 2848 ME MOWER

ELECTRIC



MODEL LSQ 2448 ME

- Super powerful 2400 Watt overload protected motor
- · Copper wire wound for lasting performance
- Induction motor for long-life
- 48 cm durable 1.6 mm thick pressed
- 2-IN-1 Catcher/Mulcher options:
- Cutting disc with 4 swing blades & large 55 litre grass collection box
- 2. Mulching blade & plug to convert to grass re-cycling function
- 46 cm cutting width
- Large 180 mm double ball bearing front and rear wheels
- · Insulated folding handles
- · Turbo safety blade brake
- · Lock-Off safety switch
- · Central height adjustment (10-positions, 10 - 65 mm)

Stock code: 30-24480 Bar code: 6009648252653



MODEL LSQ 2848

- · Super powerful 2800 Watt overload protected motor
- Copper wire wound for lasting performance
- · Induction motor for long-life
- 48 cm durable 1.6 mm thick pressed steel deck
- · 2-IN-1 Catcher/Mulcher options:
- 1. Cutting disc with 4 swing blades & large 55 litre grass collection box
- 2. Mulching blade & plug to convert to grass re-cycling function
- · 46 cm cutting width
- Large 180 mm double ball bearing front and
- · Insulated folding handles
- · Turbo safety blade brake
- · Lock-Off safety switch
- Central height adjustment (10-positions, 10 - 65 mm)

Stock code: 30-28480 Bar code: 6009648250925



2-IN-1 MULCH & CATCH LSQ 3048 ME MOWER

2-IN-1 MULCH & CATCH LSQ 6548 ML MOWER

PETROL



MODEL LSQ 3048 ME

- · Super powerful 3000 Watt overload protected motor
- · Copper wire wound for lasting performance
- · Induction motor for long-life
- 48 cm durable 1.6 mm thick pressed steel deck
- 2-IN-1 Catcher/Mulcher options:
- 1. Cutting disc with 4 swing blades & large 55 litre grass
- 2. Mulching blade & plug to convert to grass re-cycling function
- · 46 cm cutting width
- Large 180 mm double ball bearing front and rear wheels
- · Insulated folding handles
- · Turbo safety blade brake
- · Lock-Off safety switch
- · Central height adjustment (10-positions, 10 - 65 mm)

Stock code: 30-30480 Bar code: 6009648250970



MODEL LSQ 6548 ML

- Lawn Star LS 200, OHV 4-Stroke petrol engine
- 196cc 3.6 KW (4.7 Hp), Cast Iron sleeved cylinder for extended life
- · High power easy start
- 48 cm durable 1.6 mm thick pressed steel deck
- 2-IN-1 Catcher/Mulcher options:
- 1. Cutting disc with 4 swing blades & large 55 litre grass
- 2. Mulching blade & plug to convert to grass re-cycling function
- 46 cm cutting width
- Large 180 mm diameter double ball bearing front & rear
- · Central height adjustment (10-positions, 10 - 65 mm)

Stock code: 30-65481

Bar code: 6009648250987

• 4-Stroke oil SAE30 - 500 ml included



PRO 48 CONTRACTOR MOWERS



APPLIES TO ALL MULCH & CATCH MOWERS

TWICE THE JOB IN HALF THE TIME!

SAVE MONEY, TIME, WATER, FERTILISER & EFFORT!



MULCHING & CATCHING COMBINATION MOWERS

Cut your mowing time in half. Naturally recycles your grass by finely re-cutting the grass clippings and feeding them directly back into your lawn.



1. CATCHING OPTION QUADRABLADE cutting disc with 4 swing blades




2. MULCHING OPTION Unique Mulching kit included



LSMP 3248 ME MOWER

ELECTRIC



MODEL LSMP 3248 ME

- Super powerful 3200 Watt overload protected motor
- · Copper wire wound for lasting performance
- Induction motor for long-life
- · Fitted 35 metre cable
- · Robust commercial quality chassis construction
- 48cm heavy-duty 2.0 mm thick pressed steel deck
- 46 cm cutting width
- 2-IN-1 Catcher/Mulcher functions:
- 1. Cutting disc with 4 swing blades & large 55 litre grass collection box
- 2. Mulching blade & plug to convert to grass re-cycling function
- · Heavy-duty large front and rear wheels (205 mm) with sealed industrial ball bearings
- Central height adjustment (10-positions, 10 - 65 mm)
- Heavy-duty, insulated folding operator handle
- Turbo safety blade brake
- Lock-Off safety switch

Stock code: 30-32480 Bar code: 6009648251151



PRO 48 LSMP 6548 ML MOWER

PETROL

PRO-SERIES

MODEL LSMP 6548 ML

- Lawn Star LS 200, OHV 4-Stroke petrol
- 196cc 3.6 KW (4.7 Hp), Cast Iron sleeved cylinder for extended life
- High power easy start
- · Robust commercial quality chassis construction
- 48 cm heavy-duty 2.0 mm thick pressed steel deck
- 46 cm cutting width
- 2-IN-1 Catcher/Mulcher functions:
- 1. Cutting disc with 4 swing blades & large 55 litre grass collection box
- 2. Mulching blade & plug to convert to grass re-cycling function
- Heavy-duty large front and rear wheels (205 mm) with sealed industrial ball bearings
- Central height adjustment (10-positions, 10 - 65 mm)
- · Heavy-duty folding operator handle
- 4-Stroke oil SAE30 500 ml included

Stock code: 30-86549 Bar code: 6009648251199



PRO 48 LSMP 8548 ML MOWER



MODEL LSMP 8548 ML

- Lawn Star LS 230, Extreme Power OHV 4-stroke petrol engine
- 230cc 4.5 KW (6.0 Hp), Cast Iron sleeved cylinder for extended life
- Robust commercial quality chassis
- 48cm heavy-duty 2.0 mm thick pressed steel deck
- 46 cm cutting width
- 2-IN-1 Catcher/Mulcher functions:
- 1. Cutting disc with 4 swing blades & large 55 litre grass collection box
- 2. Mulching blade & plug to convert to grass re-cycling function
- Heavy-duty large front and rear wheels (205 mm) with sealed industrial ball bearings
- Central height adjustment (10-positions, 10 - 65 mm)
- Heavy-duty folding operator handle
- 4-Stroke oil SAE30 500 ml included

Stock code: 30-88549 Bar code: 6009648251205



PRO 57 CONTRACTOR MOWERS



APPLIES TO ALL MULCH & CATCH MOWERS

TWICE THE JOB IN
HALF THE TIME!
SAVE MONEY, TIME,
WATER, FERTILISER &
EFFORT!



MULCHING & CATCHING COMBINATION MOWERS

Cut your mowing time in half. Naturally recycles your grass by finely re-cutting the grass clippings and feeding them directly back into your lawn.



1. CATCHING OPTION
QUADRABLADE cutting disc with
4 swing blades



2. MULCHING OPTION
Unique Mulching kit included



PRO 57 LSMP 3257 ME MOWER

PRO-SERIES

FITTED 35 M
CABLE INCLUDED

MODEL LSMP 3257 ME

- Super powerful 3200 Watt overload protected motor
- Copper wire wound for lasting performance
- Induction motor for long-life
- Fitted 35 metre cable
- Robust commercial quality chassis construction
- 57cm heavy-duty 2.0 mm thick pressed steel deck
- 53 cm cutting width
- 2-IN-1 Catcher/Mulcher functions:
- Cutting disc with 4 swing blades & large
 To litre grass catcher
- Mulching blade & plug to convert to grass re-cycling function
- Heavy-duty large front wheels (205 mm) with sealed industrial ball bearings
- Heavy-duty extra-large rear wheels (235 mm) with sealed industrial ball bearings
- Central height adjustment (10-positions, 10 - 65 mm)
- Heavy-duty, height adjustable, insulated, folding operator handle
- Turbo safety blade brake
- Lock-Off safety switch

Stock code: 30-32570 Bar code: 6009648251168



PRO 57 LSMP 6557 ML MOWER

PFTR0I



MODEL LSMP 6557 ML

- Lawn Star LS 200, OHV 4-Stroke petrol engine
- 196cc 3.6 KW (4.7 Hp), Cast Iron sleeved cylinder for extended life
- High power easy start
- Robust commercial quality chassis construction
- 57 cm heavy-duty 2.0 mm thick pressed steel deck
- 53 cm cutting width
- 2-IN-1 Catcher/Mulcher functions:
- 1. Cutting disc with 4 swing blades & large 70 litre grass catcher
- 2. Mulching blade & plug to convert to grass re-cycling function
- Heavy-duty large front wheels (205 mm) with sealed industrial ball bearings
- Heavy-duty extra-large rear wheels (235 mm) with sealed industrial ball bearings
- Central height adjustment (10-positions, 10 - 65 mm)
- Heavy-duty, height adjustable, folding operator handle
- 4-Stroke oil SAE30 500 ml included

Stock code: 30-96557 Bar code: 6009648252479



PRO 57 LSMP 8557 ML MOWER

PETROL



MODEL LSMP 8557 ML

- Lawn Star LS 230, Extreme Power OHV 4-stroke petrol engine
- 230cc 4.5 KW (6.0 Hp), Cast Iron sleeved cylinder for extended life
- Robust commercial quality chassis construction
- 57 cm heavy-duty 2.0 mm thick pressed steel deck
- 53 cm cutting width
- 2-IN-1 Catcher/Mulcher functions:
- Cutting disc with 4 swing blades & large
 Itre grass collection box
- 2. Mulching blade & plug to convert to grass re-cycling function
- Heavy-duty large front wheels (205 mm) with sealed industrial ball bearings
- Heavy-duty extra-large rear wheels (235 mm) with sealed industrial ball bearings
- Central height adjustment (10-positions, 10 65 mm)
- Heavy-duty, height adjustable, folding operator handle
- 4-Stroke oil SAE30 500 ml included

Stock code: 30-98657 Bar code: 6009648251113



COMMERCIAL & ZTR MOWERS

LSMU 3258 ME UTILITY MOWER

PRO-SERIES

UTE 58 LSMU 8558 ML UTILITY MOWER

PRO-SERIES

PETROL

SPRINKAAN LSMS 8552 L BRUSHMOWER

PRO-SERIES

PETROL

CYLINDER MOWER LSCM 1943 6L


PRO-SERIES

PETROL

ZERO TURN RESIDENTIAL

PETROL

ZERO TURN COMMERCIAL LSZT 2448 CM MOWER



MODEL LSMU 3258 ME

- Super powerful 3200 Watt overload protected motor
- Copper wire wound for lasting performance
- Induction motor for long-life
- Fitted 35 metre cable

FITTED 35 M CABLE INCLUDED

- Robust commercial quality chassis construction
- 57 cm heavy-duty 2.0 mm thick pressed steel deck
- 53 cm cutting width
- Utility Side-discharge/mulcher functions:
- 1. Cutting disc with 4 swing blades & side discharge chute
- 2. Mulching blade & plug to convert to grass re-cycling function
- Heavy-duty large front & rear wheels (205 mm) with sealed industrial ball bearings
- Central height adjustments (10 position 10-65 mm)
- · Heavy-duty, insulated, folding operator handle
- Turbo safety blade brake
- · Lock-off safty switch

MODEL LSMU 8558 ML

- Lawn Star LS 230, Extreme Power OHV 4-stroke petrol engine
- 230cc 4.5 KW (6.0 Hp), Cast Iron sleeved cylinder for extended life
- · Easy Starting with Heavy-duty recoil starter
- · Easy to use and maintain
- · Robust commercial quality chassis construction
- 57 cm heavy-duty 2.0 mm thick pressed steel deck
- 53 cm cutting width side-discharge/mulcher
- Utility Side-discharge/mulcher functions:
- 1. Cutting disc with 4 swing blades & side discharge chute
- 2. Mulching blade & plug to convert to grass re-cycling function
- Heavy-duty large front & rear wheels (205 mm) with sealed industrial ball bearings
- Heavy-duty folding operator handle
- Central height adjustment (10-positions, 10 - 65 mm)

Stock code: 30-98558

Bar code: 6009648252738

• 4-Stroke oil SAE30 - 500 ml included

MODEL LSMS 8552 L

- Lawn Star LS 230, Extreme Power OHV 4-stroke petrol engine
- 230cc 4.5 KW (6.0 Hp), Cast Iron sleeved cylinder for extended life
- · Easy Starting with Heavy-duty recoil starter
- · Easy to use and maintain
- Robust commercial quality chassis construction • 52 cm heavy-duty 2.5 mm thick fabricated
- steel deck
- 50 cm cutting width
- Heavy-duty cutting disc with 2 swing blades and side discharge chute
- Heavy-duty extra large front & rear steel wheels (270 mm) with sealed industrial ball bearings and solid rubber tread
- Front wheel height adjustment (5-positions, 10 - 75 mm
- Individual rear wheel height adjustment (4-positions, 10 - 75 mm)
- Heavy-duty operator handle
- 4-Stroke oil SAE30 500 ml included

MODEL LSCM 1943 6L

- · Lawn Star LS 196 series, OHV 4-stroke petrol engine
- 196cc 4.1 KW (5.5 Hp), Cast Iron sleeved cylinder for extended life
- · Robust commercial quality, fabricated steel chassis construction
- Self propelled with independent clutches for propulsion and cutting cylinder
- 43 cm cutting width
- Precision ground 6-bladed high carbon-steel cutting blades
- Height adjustable rollers for variable cutting height adjustment
- Split rear roller for added manouverability
- Large 45 litre steel grass catcher box
- Heavy-duty, folding operator handle
- 4-Stroke oil SAE30 500 ml included

MODEL LSZT 2042 R

- Loncin 20 Hp, 608cc, single cylinder, OHV 4-stroke petrol engine
- · Cast Iron sleeved cylinder for extended life
- · Robust fabricated steel chassis
- · Robust pressed steel cutting deck
- · High quality dual rear-wheel hydro-gear ZT 2200 hydrostatic drive system
- Long life Japanese Ogura PTO Clutch
- · Agricultural grade drive belts
- Sealed industrial Japanese ball bearings
- Fitted tow-bar
- · Dual bladed cutting system with electric drive clutch
- 107 cm cutting width
- Side discharge chute
- Dual rear-wheel hydrostatic drive system
- Dual lever drive contol system for Zero Turn
- 11.0 km/h max forward speed
- 13.0 litre fuel tank
- Rear tyre size: 18 x 7.5
- Front tyre size: 11 x 4

MODEL LSZT 2448 CM

- Loncin 24 Hp, 764cc, two cylinder, OHV 4-stroke petrol engine
 - Cast Iron sleeved cylinder for extended life
 - · Robust commercial fabricated steel chassis
 - Robust commercial fabricated steel cutting deck
 - · High quality dual rear-wheel hydro-gear ZT 2200 hydrostatic drive system
 - · Long life Japanese Ogura PTO Clutch
 - · Agricultural grade drive belts
 - Sealed industrial Japanese ball bearings
 - Easy access grease nipples for quick and easy maintenance
 - Fitted tow-bar
 - Dual bladed cutting system with electric drive clutch
 - 122 cm cutting width
 - · Side discharge chute
 - Mulching kit included
 - · Hour-meter with charge indicator Dual rear-wheel hydrostatic drive system

 - Dual lever drive contol system for Zero Turn
 - 12.0 km/h max forward speed
 - 15.0 litre fuel tank
 - Rear tyre size: 20 x 10
 - Front tyre size: 11 x 4
 - Safety roll bar
 - · Seat fitted with safety belts and arm rests

Stock code: 35-24481 Bar code: 6009648252714







Stock code: 35-20420 Bar code: 6009648252684



Stock code: 30-32580 Bar code: 6009648251175



CLEAN UP

LS 1200 EPS POLE CHAINSAW

ELECTRIC




MODEL LS 1200 EPS

- Super powerful 1000 Watt ball bearing motor
- Overload protected motor
- Extra-long 4.0 metre reach • 25 cm Oregon chain & chain-bar
- Auto chain lubrication

Stock code: 20-31225

Bar code: 6009648252059

- Motor fitted at rear for easy handling
- Heavy-duty gear drive for long life
- 360° comfort-grip anti-vibration assist handle
- Chain-lube 500 ml included



S 3325 PPS POLE CHAINSAW

PETROL



MODEL LS 3325 PPS

- Powerful, Semi-Commercial 33cc, 0.9 KW, 2-stroke, easy-start, petrol engine
- 900 ml fuel tank capacity
- · Soft start pull-start mechanism
- · Auto centrifugal safety clutch
- Full crank with double ball bearings and two piston rings for extended engine life
- Extra-long 4.0 metre reach
- 25 cm Oregon chain & chain-bar
- Auto chain lubrication
- Heavy-duty gear drive for long life
- Soft-grip and adjustable assist handle
- Chain-lube 500 ml included
- 2-stroke high-performance oil 200 ml included
- Spare spark plug included

Stock code: 20-53325 Bar code: 6009648252462



MODEL LSS 2035

LSS 2035 CHAINSAW

LSS 2440 SDS CHAINSAW

LSPS 4540 CHAINSAW

LSPS 5850 PROFESSIONAL CHAINSAW

ELECTRIC

ELECTRIC

- Super powerful 2000 Watt ball bearing motor
- 35 cm high quality chain bar with nose-sprocket for long life
- Low wear, anti kick-back, chromium safety chain with slot cleaners
- Automatic pump-feed chain lubrication
- · Quick and easy chain tensioning system
- Safety lock-off switch
- Mechanical "Kick-Back" Safety chain brake
- Large handle grips
- · Chain-lube 120 ml included

Stock code: 20-32035 Bar code: 6009648252837



MODEL LSS 2440 SDS

- Super powerful 2400 Watt ball bearing motor
- 40 cm high quality Oregon chain bar with nose-sprocket for long life
- Oregon, low wear, anti kick-back , chromium safety chain with slot cleaners
- Automatic pump-feed chain lubrication
- Toolless SDS chain tensioning system
- · Safety lock-off switch
- Mechanical "Kick-Back" Safety chain brake
- · Large handle grips
- Chain-lube 120 ml included

Stock code: 20-32440 Bar code: 6009648250390



MODEL LSPS 4540

- Powerful 45cc, 1.8 KW, 2-stroke, easy-start, petrol engine
- 40 cm high quality chain bar
- Oregon, low wear, anti kick-back , chromium safety chain with slot cleaners
- Automatic pump-feed chain lubrication
- Safety lock-off switch
- Mechanical "Kick-Back" Safety chain brake
- Anti-vibration system
- Chain tensioning tool & sharpening file
- 2-stroke high-performance oil 200 ml included
- Chain-lube 250 ml included
- Mixing bottle, chain sharpening file and tools included
- Spare spark plug included

Stock code: 20-54540 Bar code: 6009648252080



MODEL LSPS 5850

- Super Powerful Commercial 58cc, 2.4 KW, 2-stroke, easy-start, petrol engine

 High-performance free-flow exhaust
- · Large easy-clean airfilter

PRO-SERIES

OREGON COUNTROL

- Professional 50 cm Oregon chain & chain-bar
 Oregon, low wear, anti kick-back, chromium safety chain with slot cleaners
- · Automatic adjustable pump-feed chain lubrication
- Safety lock-off switch
- Mechanical "Kick-Back" Safety chain brake
- Anti-vibration system
- Chain tensioning tool & sharpening file included
 2-stroke high-performance oil 200 ml included
- Chain-lube 250 ml included
- Mixing bottle, chain sharpening file & tools included
 Spare spark plug included

Stock code: 20-55850 Bar code: 6009648252097





CLEAN UP

LSH 551 HEDGE TRIMMER







BV 3200 VAC/BLOWER/MULCHER





MODEL LSH 551

- 550 Watt motor
- 51cm high quality double action cutting bar
- 3000 cuts per minute
- 16 mm cutting width
- Dual safety switch
- · Solid ABS plastic construction

Stock code: 20-20551 Bar code: 6009648250352

MODEL LSH 2660 P

- Powerful 26cc, 0.75 KW, 2-stroke, full crank, easy-start, petrol engine
- Safety front discharging exhaust
- 600 ml fuel tank capacity
- 60 cm high quality double action cutting bar
- 1850 cuts per minute
- 27 mm cutting width
- · Multi-function, adjustable control handle
- Anti-vibration system
- Large assist handle & safety guard
- 2-stroke high-performance oil 200 ml included

Stock code: 20-22660 Bar code: 6009648252073



MODEL LSBV 3200

- Super powerful 3200 Watt motor
- Two way selector for vacuuming or blowing
- Mulcher function through fan
- Mulching ratio of 10:1
- 270 km / hr blowing speed
- Large 45 litre collection bag with easy-empty zipper
- · Roll-along wheels

Stock code: 20-13210

Bar code: 6009648250369



MODEL LSBH 2625 P

- Powerful 26cc, 0.75 KW, 2-stroke, full crank, easy-start, petrol engine
- 650 ml fuel tank capacity
- Variable-speed throttle control 2800 8200 rpm
- 0 250 km / hr adjustable blowing speed
- 2-stroke high-performance oil 200 ml included

Stock code: 20-15261 Bar code: 6009648252066



8000 P PETROL BACK PACK BLOWER



ELECTRIC




LSGS 2800 GARDEN SHREDDER



LSGS 6575 P GARDEN SHREDDER

PETROL



MODEL LSBB 8000 P

- Powerful 80cc, 3.0 KW, 2-stroke, full crank, easy-start, petrol engine
- 2,5 litre fuel tank capacity
- Variable-speed throttle control 2800 6800 rpm
- 0 270 km / hr adjustable blowing speed
- 20,000 litres of air per minute
- Steel fuel tank suitable for fire fighting
- Steel outlet tube suitable for fire fighting
- Comfy professional padded back pack

Stock code: 20-15800 Bar code: 6009648250482



MODEL LSAV 1000

- Powerful 1000 Watt motor
- 18 litre steel drum
- Fire resistant re-usable air filter, captures the ash particles
- Fire resistant 40mm x 1.0m long metal lined suction pipe
- 230mm metal suction nozzle
- 2.5m electrical cable
- Cleans fire-places and braais
- · Carry handle for ease of movement

Stock code: 25-11000

Bar code: 6009648252301



MODEL LSGS 2800

- Super powerful 2800 watt long-life ball bearing electric induction motor
- · Thermal overload protected motor
- Shreds up to 40 mm diameter branches
- Multi- bladed gear cutter automatically feeds branches 45 litre collection box
- ABS-Anti Block System reverses cutter to prevent blockage
- Adjustable cutting plate ensures proper shredding
- Low noise geared cutting system
- Roll-along wheels for easy transport

Stock code: 20-42800 Bar code: 6009648250444

MODEL LSGS 6575 P

- Lawn Star 196cc, 4-Stroke OHV petrol engine
- 196cc 4.1 KW (5.5 Hp), Cast Iron sleeved cylinder for extended life
- 75 mm diameter branch chipping capacity
- 160 mm wide shredding chute with up to 10 mm branch capacity
- 2 x chipping blades
- 16 x shredding hammers
- Robust steel construction
- · Low noise geared cutting system · Roll-along wheels for easy transport
- 4-Stroke oil SAE30 500 ml included

Stock code: 20-46575

Bar code: 6009648252660

MODEL LSGS 9075 P

- Lawn Star 398cc, 4-Stroke OHV petrol engine
- 398cc 9.8 KW (13.0 Hp), Cast Iron sleeved cylinder for extended life
- · 76 mm diameter branch chipping capacity 4-Stroke oil SAE30, 2 x 500 ml included
- Stock code: 20-49075

Bar code: 6009648252844





IRRIGATION ACCESSORIES

TAP ADAPTER & REDUCER

12mm - 19mm Stock code: 50-212-19 Barcode - 6009648251588

PLASTIC HOSE MENDER

Stock code: 50-412-00

Barcode - 6009648251618

12mm



2 WAY COUPLER

Stock code: 50-250-02 Barcode - 6009648251663



3 WAY COUPLER

Stock code: 50-250-03 Barcode - 6009648251670

AUTO SHUT-OFF HOSE CONNECTER

Stock code: 50-312-01

Barcode - 6009648251601



MALE CONNECTOR

Stock code: 50-119-00 Barcode - 6009648251571



ADJUSTABLE HAND NOZZLE

Stock code: 51-500-00 Barcode - 6009648251694



ADJUSTABLE HAND NOZZLE & 3-PIECE CONNECTER SET

Stock code: 51-500-04 Barcode - 6009648251700



HOSE CONNECTER

HOSE CONNECTER

Stock code: 50-312-00

Barcode - 6009648251595

PLASTIC HOSE MENDER 19mm Stock code: 50-419-00 Stock code: 50-319-00 Barcode - 6009648251656 Barcode - 6009648251632



12mm

AUTO SHUT-OFF HOSE CONNECTER

19mm Stock code: 50-319-01 Barcode - 6009648251649



7-PATTERN DIAL HAND SPRAYER

Stock code: 51-517-00 Barcode - 6009648251717



FULL CIRCLE SPIKE SPRINKLER

Stock code: 52-110-00 Barcode - 6009648251809



HOSE HANGER

Stock code: 55-206-00 Barcode - 6009648252356



FULL CIRCLE PYRAMID SPRINKLER

Stock code: 52-100-00 Barcode - 6009648251816



Barcode - 6009648251779



Stock code: 52-108-00 Barcode - 6009648251793

18-JET DELUXE

OSCILLATING SPRINKLER Stock code: 52-201-18 Barcode - 6009648251823

ACCESSORIES



1,6MM X 10M SINGLE PACK **NYLON LINE PRE-PACK**

Stock code: 80-16100 Bar code: 6009648250505



2,0MM X 10M SINGLE PACK **NYLON LINE PRE-PACK**

Stock code: 80-20100 Bar code: 6009648250543



REPLACEMENT LS SPOOL (TAP-TO-FEED) WITH 1.6MM LINE

Stock code: 80-37016 Bar code: 6009648250666



REPLACEMENT CAP CLIP-ON-CAP (TAP-TO-FEED)

Stock code: 80-38010 Bar code: 6009648250710



1,6MM X 10M DOUBLE PACK **NYLON LINE PRE-PACK**

Stock code: 80-16200 Bar code: 6009648250512



2,0MM X 10M DOUBLE PACK **NYLON LINE PRE-PACK**

Stock code: 80-20200 Bar code: 6009648250550



(TAP-TO-FEED) WITH 2.0MM LINE

Stock code: 80-37020 Bar code: 6009648250673

REPLACEMENT CUTTING HEAD

ELECTRIC TRIMMERS 1.60 MM

Bar code: 6009648252561

REPLACEMENT CUTTING HEAD

FLECTRIC TRIMMERS 2 00 MM

Bar code: 6009648252578

Stock code: 80-37220

Stock code: 80-37216



1,6MM X 10M SIX PACK **NYLON LINE PRE-PACK**

Stock code: 80-16600 Bar code: 6009648250536

2,0MM X 10M SIX PACK

NYLON LINE PRE-PACK

Bar code: 6009648250574

Stock code: 80-20600

3.5MM X100 PIECE

Stock code: 80-35100

Bar code: 6009648252257

PRE-CUTS



1,6MM X 100M DONUT NYLON LINE PRE-PACK

Stock code: 80-16000 Bar code: 6009648250642



2,0MM X 100M DONUT NYLON LINE PRE-PACK

Stock code: 80-20000 Bar code: 6009648250659



2.4MM X 100M DONUT

NYLON LINE PRE-PACK Stock code: 80-24000 Bar code: 6009648250727



REPLACEMENT CUTTING HEAD

Stock code: 80-37262 Bar code: 6009648252547

REPLACEMENT CUTTING HEAD PETROL BRUSH CUTTERS

Stock code: 80-37331 Bar code: 6009648252554



LOW PROFILE **CUTTING HEAD**

Stock code: 80-37035 Bar code: 6009648252264

ACCESSORIES



CHAINSAW REPLACEMENT CHAIN LS 1200 EPS Stock code: 80-27122 Bar code: 6009648252134



CHAINSAW REPLACEMENT CHAIN LSS 2240 SDS Stock code: 80-27224 Bar code: 6009648251052



CHAINSAW REPLACEMENT CHAIN LSPS 4035 & LSS 2035 Stock code: 80-27403 Bar code: 6009648252486



CHAIN LSPS 4540 & LSS 2440 SDS Stock code: 80-27450 Bar code: 6009648252110



CHAINSAW REPLACEMENT CHAIN LSPS 5850 Stock code: 80-27585 Bar code: 6009648252127



2-STROKE HIGH PERFORMANCE

JASO FC OIL 200 ml

Stock code: 90-20000

Bar code: 6009648251502

TWIN-PACK Stock code: 80-26055 Bar code: 6009648252103



2-STROKE

SERVICE KIT

Stock code: 80-26060

LSBV 3200 Stock code: 80-43200 Bar code: 6009648252967



CHAIN LUBE OIL 500 ml **CHAIN SAW LUBRICATING OIL** Stock code: 90-30000 Bar code: 6009648251526




CORD-SET 15m x 1.0mm

2500 watts Stock code: 80-61510 Bar code: 6009648252523

CORD-SET 20m x 1.0mm 2500 watts Stock code: 80-62010 Bar code: 6009648252530

CORD-SET 25m x 1.0mm **2500 watts** Stock code: 80-62500

Bar code: 6009648250598





CORD-SET 35m x 1.5mm 3000 watts

Bar code: 6009648250765

Stock code: 80-63516 Bar code: 6009648251458

All cord sets include cable tidy



COMBI-BLADE REPLACEMENT BLADE-SET Stock code: 80-33612 Bar code: 6009648250741



QUADRABLADE REPLACEMENT BLADE SET FOR LSQ & PRO 48 Stock code: 80-02544 Bar code: 6009648250734



QUADRABLADE REPLACMENT BLADE SET FOR PRO 57 & UTE 58 Stock code: 80-02574 Bar code: 6009648251007



SPRINKAAN REPLACEMENT **BLADE SET** Stock code: 80-02582 Bar code: 6009648252592



Stock code: 80-03117 Bar code: 6009648252806

BLADE COUPLING ASSEMBLY 20MM Stock code: 80-03120

Bar code: 6009648252813



REPLACEMENT BAG **LSBV 2800** Stock code: 80-42800 Bar code: 6009648252721



4-STROKE LAWNMOWER

Bar code: 6009648251489

Stock code: 90-50030

ENGINE OIL 500 ml SAE 30





GRASS PAINT RE-MIXED 1000 ml READY TO SPRAY Stock code: 95-11000

Bar code: 6009648252783



GRASS PAINT 1000 ml CONCENTRATE Stock code: 95-01000

Bar code: 6009648252769



GRASS PAINT 500 ml CONCENTRATE Stock code: 95-00500 Bar code: 6009648252752



GRASS PAINT 250 ml CONCENTRATE Stock code: 95-00250 Bar code:6009648252745





Bar code: 6009648251038

LSM 48 AND LionMo MULCHING REPLACEMENT REPLACEMENT BLADE **BLADE FOR LSQ, PRO 48** Stock code: 80-02541 & LionMo Bar code: : 6009648253001 Stock code: 80-02551

Bar code: 6009648251021

BLADE FOR PRO 57 & UTE 58 Stock code: 80-02557 Bar code: 6009648251045

MULCHING REPLACEMENT



GARDEN HAND TOOLS









Available in black, pink, lime and turquoise colours

LEAF RAKE

Stock code: 60-30300 Bar code: 6009648251427

HAND SPADE

Stock code: 60-30000 Bar code: 6009648251397

HAND FORK

Stock code: 60-30100 Bar code: 6009648251403

HAND RAKE

Stock code: 60-30200 Bar code: 6009648251410



23cm DELUXE BYPASS PRUNER

Stock code: 61-123-00 Barcode: 6009648251861

20cm HEAVY DUTY BYPASS PRUNER

Stock code: 61-120-00 Barcode: 6009648251878



180mm HAND SAW

Stock code: 64-180-00 Barcode: 6009648252202



BYPASS LOPPER

Stock code: 63-108-72 Barcode: 6009648251939

23cm WAVY BLADE HEDGE SHEAR

Stock code: 62-123-61 Barcode: 6009648251908

CONTACTS

HEAD OFFICE & FACTORY CAPE TOWN

021 - 535 5249

PORT ELIZABETH 084 - 680-0117

WEST COAST & NORTHERN CAPE 084 - 609 7341

WINDHOEK +264 - 61-232 475

JOHANNESBURG

011 - 979 0162

POLOKWANE

072 - 172 8241

DURBAN

082 - 556 6325

EAST LONDON

082 - 411 6354

GABORONE

+267 - 318 6851

BLOEMFONTEIN 082 - 556 6325

OVERBERG & SOUTHERN CAPE

084 - 609 7341

HARARE +263 - 4 - 486 192



0860-LAWNSTAR 0860 529 678 www.lawnstar.co.za

E: sales@lawnstar.co.za